

# REPAIR & MAINTENANCE

INDUSTRIAL APPLICATIONS



# MORE THAN PAINT IN A CAN



SprayMax is an aerosol system for professional small damage paint repairs. SprayMax stands for an aerosol repair system using a unique and patented technology. SprayMax aerosols are a new state of the art application tool for coatings which is more efficient and delivers superior results versus conventional aerosols.




# AEROSOL FOR MANY INDUSTRIES

- ✓ Patented technologies for 1K and 2K coatings
- ✓ Original paint systems
- ✓ Painting directly on site - fast and easy
- ✓ Process-safe and cost-saving
- ✓ Over 60 years of experience in aerosol technology



# TECHNOLOGY



CONSTRUCTION & LOGISTICS

## Lift Repair

### Given task

Removal of scrape damage on a riser (wet painted/powdered surface)

### Our solution

Complete paint repair with SPRAYMAX products

### Paint structure

2K epoxy primer, 2K top coat, 1K Spot Blender

### The result

Net processing time: approx. 60 min

Including preparation, paint removal and sanding the process time is approx. 2 hours.

After the repair, the riser was ready to be used again immediately on the company's premises.



AUTOMOTIVE & VEHICLE

## Fender E-Coat Repair

### Given task

Repair of e-coated spots on primed fender (E or powder-coated)

### Our solution

2K E-Coat Primer

### Paint structure

E-Coat Primer

### The result

Dry to touch after approx. 10 min. The part was restored to its original coating condition and ready to be used again.





RAIL INDUSTRY

### Railcar Repair

**Given task**

Removal of old coatings, complete paint delamination

**Our solution**

Complete paint repair with SPRAYMAX products

**Paint structure**

2K Wash Primer, 2K Acrylic Filler, 2K Top Coat, 1K Spot Blender

**The result**

Net processing time: approx. 170 min

Including preparation, paint removal and sanding the process time is approx. 5 hours. The vehicle can therefore be put back into circulation on the same day without longer downtimes.



AGRICULTURE

### Agro Equipment Repair

**Given task**

Removal of larger paint chips from the original coating

**Our solution**

Complete paint repair with SPRAYMAX products and a bodyfiller

**Paint structure**

Bodyfiller, 2K Rapid Primer Filler, 1K Unifill, Base Coat OEM colour, 2K Clear Coat, 1K Spot Blender


**The result**

Net processing time: approx. 60 min

After our repair the vehicle was ready to be used again for agricultural work on the same day.



process video



CONSTRUCTIONS & LOGISTICS

### Construction Equipment Repair

**Given task**

Removal of damaged paint work on a construction vehicle

**Our solution**

Complete paint repair with SPRAYMAX products

**Paint structure**

2K Epoxy Primer, 2K OEM Top Coat, 1K Spot Blender

**The result**

Net processing time: approx. 60 min

After the repair, the vehicle was ready to be used again immediately on the company's premises.



# THE ONE WITH THE RED

## True 2K technology

The SprayMax 2K technology combines two products in one spray can: paint and activator. The two components are separated by a secondary container inside the spray can.

At the touch of a button, the activator is released and mixed with the paint or primer. SprayMax 2K products deliver durable, high quality results, comparable to a traditional spray gun finish.

# BUTTON



## ✓ All types of hardener systems

- **NISO – Non Isocyanate**  
• e.g. 2K Rapid Primer Filler
- **SH – Acid catalyzed**  
• e.g. 2K Wash Primer
- **EPOXY – Amine crosslinked**  
• e.g. 2K EP Primer Filler
- **PUR – Isocyanate**  
• e.g. 2K Topcoats

## ✓ Always correct ratio

## ✓ Closed and locked system against oxygen and moisture

## ✓ Simple way of use

## ✓ Always longer potlife


## ✓ No prep and clean

# SO EASILY FILLED

## Filling of customizable aerosols cans


With the different filling devices and individual aerosol contents, your original paint can be filled quickly and easily as required.

- No cleaning and no waste (FillClean)
- Space-saving
- Pneumatic or manual filling machine available
- Easy to use and very reliable
- For all common 1K/2K coating systems



### FillClean pneumatic

- Single-can filling
- Quick product- or paint- can change possible
- Cleaning-free
- Filling capacity/hour: approx. 50-60 cans



### FillClean manual

- Single-can filling
- Mobile, manual unit for locations without compressed air and electricity
- Cleaning-free
- Filling capacity/hour: approx. 30-35 cans



Further instructions for operating the FillClean filling device on our website [spraymax.com](https://www.spraymax.com) or on our Youtube channel:

Let's talk.



With our SprayMax product range you can plan your complete repair processes



We create the perfect SprayMax formulation for:

- Your system
- Your label
- Your customers

You can find all our products within our SprayMax catalogue on [spraymax.com](http://spraymax.com)



Follow us on YouTube for process videos and tips.



**A Brand of the  
Peter Kwasny GmbH**  
Heilbronner Straße 96  
D-74831 Gundelsheim  
Phone: +49 62 69 / 95 - 0  
Fax: +49 62 69 / 95 80  
info@kwasny.de  
www.kwasny.com  
www.spraymax.com

**Peter Kwasny Inc.**  
62-64 Enter Lane  
Islandia, NY 11749  
Phone: +1 844-426-6330  
Fax: +1 866-226-6434  
service@kwasny.us  
www.spraymax.com  
For orders: Toll free North America  
1-844-426-6330 / order@kwasny.us

**Peter Kwasny Spraypaint Canada Inc.**  
40 University Avenue, Suite 904  
Toronto ON M5J 1T1  
Phone: +1 844-426-6330  
Fax: +1 866-226-6434  
service@kwasny.us  
www.spraymax.com  
Téléphonez gratuitement en Amérique du Nord:  
1-844-426-6330 / order@kwasny.us